## SL 2019/20 - Exercise 3, Lecture L6 - 12/11/2019

## Exercise 3: Analysis of Prostate Cancer dataset – variable subset selection

Please, execute the following tasks and provide answers to the proposed questions.

- 1. Open your kernel SL\_EX3(L5)\_ProstateCancer\_Surname in Kaggle
- 2. Generate a copy called SL EX4(L6) SubsetSelection Surname by the Fork button
- 3. Starting from the ols models achieved in the last steps, perform best-subset selection.
  - Generate one model for each combination of the 8 variables available
  - For each model compute the RSS on training and test set, the number of variables and the R<sup>2</sup> of the model
  - Save these numbers in suitable data structures
- 4. Generate a chart having the subset size in the x-axis and the RSS for the training set of all models generated at step 3 in the y-axis
- 5. Generate a chart having the subset size in the x-axis and the  $R^2$  of all models generated at step 3 in the y-axis
- 6. Generate a chart having the subset size in the x-axis and the RSS for the test set of all models generated at step 3 in the y-axis
- 7. Perform forward selection
  - Start from the empty model
  - Add at each step the variable that minimizes the RSS (other performance measures can be used)
- 8. Generate a chart having the subset size in the x-axis and the RSS for the test set of the models generated at step 7 in the y-axis
- 9. Perform backward selection
  - Start from the full model
  - Remove at each step the variable that minimizes the RSS (other performance measures can be used)
- 10. Generate a chart having the subset size in the x-axis and the RSS for the test set of the models generated at step 9 in the y-axis